

DESIGN
PLAN
BUILD





Established in 1965 in Richmond Hill, ON, we began our journey producing precast concrete patio slabs. Today, we proudly manufacture a comprehensive line of pavers, slabs, walls, steps, and curbs, ensuring quality and durability in every product. With two state-of-the-art production facilities situated within the Greater Toronto Area, we are prepared to meet the demands of the evolving market.

Canadian-owned and operated since our inception, we stand as a testament to homegrown excellence and craftsmanship.

OUR MISSION:

Best Way Stone® is committed to innovation and creating products that inspire outdoor spaces, bringing people and communities together, and setting the standard for quality, service and value.

Contents

2 SLABS

- 4 Basketweave™
- 5 Smooth and Shot Blast
- 6 Lyra
- 6 Lyra NanoBlast
- 8 Spectra
- 9 Solar Reflective Rooftop Paver

10 STEPS

- 12 Forma Steps
- 12 Ikon Step
- 13 Ridge™ Step

15 WALLS

- 16 Garden Lock™
- 17 Ikon
- 18 Parkwall™
- 20 Ridgewall® SRW System

23 PAVERS

- 24 Ashford
- 25 Standard™
- 26 Adelaide® 80
- 27 EcoFlow
- 28 Prisma
- 29 Vanguard

LEGEND



Vehicle use permitted



Permeable and/or Eco-Friendly product



Pedestrian traffic only



Vibrating plate permitted (rubber membrane required)



Made with DesignLoc® surface refinement technology



Enhanced with our factory applied ChromaTec™ protective surface treatment



Enriched with NanoBlast™ technology

Our pursuit of technological advancements provides layers of enriched surfaces and colour, bringing product aesthetics, quality and performance to the next level.



DesignLoc® technology is a two-stage manufacturing process that creates a refined surface while reinforcing a stronger, coarser base. This process enhances durability and reduces the potential for color fading, ensuring a long-lasting, high-quality finish.

Slabs

Adelaide 50
Avari
Balsam
Lyra
Richmond 50
Riverton
Trevista 50 Smooth
Trevista 50 Textured
Ventura

Pavers

Adelaide 80
EcoFlow Permeable
Manhattan Plank
Napa
Prisma
Richmond 80
Trevista 80 Smooth
Trevista 80 Textured
Vanguard

Walls

Soho



ChromaTec™ is a factory-applied protective surface enhancer that creates a barrier against stains from external elements. This coating not only helps to resist staining but also enhances the vibrancy and colour longevity of the product.

Slabs

Avari
Lyra Nanoblast



NanoBlast™ is a fine shot-blasting process that exposes specially selected aggregates on the product's surface. Combined with a brushed surface treatment, NanoBlast™ creates a striking textural contrast while delivering a more slip-resistant and comfortable finish.

Slabs

Lyra Nanoblast
24 x 24 Shot Blast

Explore Best Way Stone's series of products, which provide their own unique advantages.

Classic Series

The Classic Series represents the foundation of timeless design. These products focus on simplicity, durability and functionality. Perfect for budget-conscious projects, the Classic Series delivers reliable performance without unnecessary embellishments – ideal for creating simple clean spaces.

Signature Series

The Signature Series elevates design with superior quality and refined finishes, thanks to Best Way Stone's innovative DesignLoc® technology. These products combine enhanced durability with style, perfectly balancing aesthetics and functionality. Whether you're designing a residential oasis or a commercial space, the Signature Line delivers exceptional detailed results that stand out without compromising practicality.

Premiere Series

Best Way Stone's Premiere Series sets the standard for luxury and innovation. Utilizing advanced technologies like NanoBlast™ and ChromaTec™, this line features high-end materials and cutting-edge manufacturing techniques. These premium products deliver unparalleled aesthetics and enhanced performance. Designed for those who seek to create truly remarkable spaces, the Premiere Series is where innovation meets elegance.



DEDICATED
OCTOBER 5, 2024
IN RECOGNITION OF
THE 150TH ANNIVERSARY
OF THE FORMATION OF
THE UXBRIDGE FIRE
BRIGADE



SLABS

CLASSIC SERIES

- | | | |
|---|-----------------------|-------|
| 4 | Basketweave™ | 45 mm |
| 5 | Smooth and Shot Blast | 45 mm |

SIGNATURE SERIES

- | | | |
|---|---------|-------|
| 6 | Lyra | 60 mm |
| 8 | Spectra | 50 mm |

PREMIERE SERIES

- | | | |
|---|--------------------------------|-------|
| 6 | Lyra NanoBlast | 60 mm |
| 9 | Solar Reflective Rooftop Paver | 45 mm |

BASKETWEAVE



CLASSIC SERIES SLAB | 45 mm



UNIT



24 x 30
 23.62" x 29.52" x 1.77"
 600mm x 750mm x 45mm

24 x 24
 23.62" x 23.62" x 1.77"
 600mm x 600mm x 45mm

12 x 24
 11.81" x 23.62" x 1.77"
 300mm x 600mm x 45mm

24 x 24 available in 50mm thickness as special order.

BUNDLE SPECIFICATIONS

24 x 30

	IMPERIAL	METRIC
Coverage	116.22 ft ²	10.8 m ²
Weight	2539.7 lbs	1152 kg
Units	24	
Coverage per unit	4.84 ft ²	0.45 m ²
Lineal coverage	47.24 ft / 59.04 ft	14.4 m / 18.0 m
Lineal coverage per unit	1.97 ft / 2.46 ft	0.6 m / 0.75 m

12 x 24

	IMPERIAL	METRIC
Coverage	139.48 ft ²	12.96 m ²
Weight	2880 lbs	1305.36 kg
Units	72	
Coverage per unit	1.94 ft ²	0.18 m ²
Lineal coverage	70.86 ft / 141.72 ft	21.6 m / 43.2 m
Lineal coverage per unit	0.98 ft / 1.97 ft	0.3 m / 0.6 m

24 x 24

	IMPERIAL	METRIC
Coverage	92.99 ft ²	8.64 m ²
Weight	2011.2 lbs	912 kg
Units	24	
Coverage per unit	3.87 ft ²	0.36 m ²
Lineal coverage	47.24 ft	14.4 m
Lineal coverage per unit	1.97 ft	0.6 m

COLOUR




WHITE

NOTES


For pedestrian use only. Classic slabs do not include spacer bars. All sizes sold and packaged separately. Sold in full bundles only. The use of a plate tamper is not permitted.

SMOOTH AND SHOT BLAST

CLASSIC SERIES SLAB | 45 mm



BUNDLE OVERVIEW



UNIT



45 mm
 23.62" x 23.62" x 1.77"
 600 x 600 x 45 mm
 Units/bundle: 24
 50mm and 60mm
 thicknesses available by
 special order.

SHOTBLAST FINISH



BUNDLE SPECIFICATIONS

45 mm

	IMPERIAL	METRIC
Coverage	92.99 ft ²	8.64 m ²
Weight	2011.2 lbs	912 kg
Units	24	
Coverage per unit	3.87 ft ²	0.36 m ²
Lineal coverage	47.24 ft	14.4 m
Lineal coverage per unit	1.97 ft	0.6 m

COLOURS

SMOOTH COLOURS:





GREY WHITE

SHOT BLAST COLOURS:



GREY WHITE

PATTERNS



NOTES

A large format slab with a smooth surface finish. The 24 x 24 Smooth slab brings a modern touch to a traditional paving and rooftop terracing slab.

Sold in full bundles only.
 Plate tamper not recommended.

LYRA & LYRA NANOBLAST


SIGNATURE & PREMIERE SERIES SLAB | 60 mm



LYRA



UNITS



23.62" x 35.43" x 2.36"
600mm x 900mm x 60mm
Units/bundle: 18
Units/layer: 2

BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Coverage	104.6 ft ²	9.72 m ²
Weight	2992 lbs	1357 kg
Layers	9	
Coverage per layer	11.62 ft ²	1.08 m ²
Lineal coverage	53.15 / 106.3 ft	16.2 / 32.4 m
Lineal coverage per layer	5.9 / 11.81 ft	1.8 / 3.6 m




11.81" x 35.4" x 2.36"
300mm x 900mm x 60mm
Units/bundle: 27
Units/layer: 3

	IMPERIAL	METRIC
Coverage	78.45 ft ²	7.29 m ²
Weight	2256 lbs	1023.3 kg
Layers	9	
Coverage per layer	8.71 ft ²	0.81 m ²
Lineal coverage	26.57 / 79.72 ft	8.1 / 24.3 m
Lineal coverage per layer	2.95 / 8.86 ft	0.9 / 2.7 m



23.62" x 23.62" x 2.36"
600mm x 600mm x 60mm
Units/bundle: 18
Units/layer: 2

	IMPERIAL	METRIC
Coverage	69.7 ft ²	6.47 m ²
Weight	1956 lbs	887.4 kg
Layers	9	
Coverage per layer	7.75 ft ²	0.72 m ²
Lineal coverage	35.4 ft	10.79 m
Lineal coverage per layer	3.94 ft	1.2 m




11.81" x 23.62" x 2.36"
300mm x 600mm x 60mm
Units/bundle: 54
Units/layer: 6


	IMPERIAL	METRIC
Coverage	104.6 ft ²	9.72 m ²
Weight	3012 lbs	1366.2 kg
Layers	9	
Coverage per layer	11.62 ft ²	1.08 m ²
Lineal coverage	35.43 / 53.15 ft	10.8 / 16.2 m
Lineal coverage per layer	3.94 / 5.91 ft	1.2 / 1.8 m



LYRA NANOBLAST




BUNDLE OVERVIEW




12 x 24



24 x 24



12 x 36



24 x 36

COLOURS

LYRA COLOURS:



CARRARA


COLORADO GREY

GLACIER CREEK

PEARL

ULTRA BLACK

LYRA NANOBLAST COLOURS:



BRIGHTSAND

ECLIPSE


SILVERLIGHT

STORM


ULTRA BLACK AVAILABLE IN 12" X 24" & 24" X 24".
ULTRA BLACK 12" X 36" AND 24" X 36" ARE SPECIAL ORDER.

NANOBLAST COLOURS AVAILABLE IN 12" X 24" AND 24" X 24".
12" X 36" AND 24" X 36" NANOBLAST ARE SPECIAL ORDER.


PATTERNS




3/4 Off-Set
(Best Practice)




1/2 Off-Set



Herringbone



Tile Joint



Tile Joint



1/2 Off-Set

NOTES


For pedestrian use only. Medium to large format slab with a soft touch surface. Provides a contemporary finish. DesignLoc technology allows for a highly refined surface, with integral colouring.

When installing slabs on pedestal set, ensure to consider load requirements. Refer to project engineer for specific considerations.

Plate tamper not recommended.



BUNDLE OVERVIEW



UNIT



23.62" x 23.62" x 2"
600 x 600 x 50 mm
Units/bundle: 20


60mm thicknesses
available by special order.

BUNDLE SPECIFICATIONS


50 mm

	IMPERIAL	METRIC
Coverage	77.49 ft ²	7.20 m ²
Weight	1852 lbs	840 kg
Units	20	
Coverage per unit	3.87 ft ²	0.36 m ²
Lineal coverage	39.37 ft	12.0 m
Lineal coverage per unit	1.97 ft	0.6 m

PATTERNS




Tile Joint




1/2 Off-Set

COLOURS



BRIGHTSAND ECLIPSE



SILVERLIGHT STORM

NOTES

Spectra provides a unique speckled finish, using the highest quality granite aggregates in the surface of the product

For pedestrian use only. Large modern slab.

Plate tamper not recommended.


Sold in full bundles only.

SOLAR REFLECTIVE ROOFTOP PAVER


PREMIERE SERIES SLAB | 45 mm



BUNDLE OVERVIEW



UNIT



23.62" x 23.62" x 1.77"
600 x 600 x 45 mm
Units/bundle: 24


50mm and 60mm thickness
available by special order.

BUNDLE SPECIFICATIONS

45 mm

	IMPERIAL	METRIC
Coverage	92.99 ft ²	8.64 m ²
Weight	2148 lbs	974.4 kg
Units	24	
Coverage per layer	3.87 ft ²	0.36 m ²
Lineal coverage	47.24 ft	14.4 m
Lineal coverage per layer	1.97 ft	0.6 m

COLOUR



SR WHITE

PEDESTALS AVAILABLE



PEDESTALS ARE NOT PART OF REGULAR STOCK ITEMS AND ARE SPECIAL ORDER ONLY.
MULTIPLE PEDESTAL OPTIONS AVAILABLE UPON REQUEST FOR ROOFTOP OR TERRACE APPLICATIONS.
AVAILABLE IN 50MM AND 60MM THICKNESS BY SPECIAL ORDER.

NANOBLAST FINISH AVAILABLE BY SPECIAL ORDER.





STEPS

- 12 Forma Steps
- 12 Ikon Step
- 13 Ridge™ Step

FORMA STEPS



UNIT



36" #1

36"w x 12"d x 7"h
914w x 305d x 178h mm
Units/bundle: 15

48" #1

48"w x 12"d x 7"h
1219w x 305d x 178h mm
Units/bundle: 12

12" FILLER

12"w x 4.5"d x 7"h
305w x 115d x 178h mm

36" #2

36"w x 24"d x 7"h
914w x 610d x 178h mm
Units/bundle: 10


48" #2

48"w x 24"d x 7"h
1219w x 610d x 178h mm
Units/bundle: 10

24" FILLER

24"w x 5.25"d x 7"h
610w x 135d x 178h mm

COLOUR



OFF-WHITE

BUNDLE SPECIFICATIONS

	36" #1		36" #2		48" #1		48" #2	
	IMPERIAL	METRIC	IMPERIAL	METRIC	IMPERIAL	METRIC	IMPERIAL	METRIC
Weight	1598 lbs	725 kg	1555 lbs	705 kg	1712 lbs	776 kg	1874 lbs	850 kg
Units	15		10		12		10	

	12" FILLER		24" FILLER	
	IMPERIAL	METRIC	IMPERIAL	METRIC
Weight	2280 lbs	1034 kg	2220 lbs	1007 kg
Units	24 pairs		12 pairs	

STEPS SOLD IN FULL BUNDLES ONLY.

FILLERS SOLD AS PAIRS.

IKON STEP




UNIT



39.4"w x 6.7"h x 14"d
1000w x 170h x 355d mm

COLOURS



GREY ULTRA BLACK

BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Weight	2745 lbs	1245 kg
Units	9	
Lineal coverage	29.5 ft	9 m
Lineal coverage per unit	3.28 ft	1 m

RIDGE™ STEP



UNIT




39.4"w x 7.68"h x 19.7"d
1000w x 195h x 500d mm

BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Weight	2982 lbs	1352.4 kg
Units	6	
Lineal coverage	19.68 ft	6 m
Lineal coverage per unit	3.28 ft	1 m

COLOURS



GREY

GREY MIX







WALLS

CLASSIC SERIES


- 16 Garden Lock™
- 17 Ikon
- 18 Parkwall™
- 20 Ridgewall® SRW System

GARDEN LOCK™

CLASSIC SERIES WALL



TRIPLE BUNDLE OVERVIEW



UNITS

TRIPLE*



14.96"w x 8.85"d x 4.92"h
380mm x 225mm x 125mm
Units: 25



9.84"w x 8.85"d x 4.92"h
250mm x 225mm x 125mm
Units: 25



7.48"w x 8.85"d x 4.92"h
190mm x 225mm x 125mm
Units: 25



CORNER
13.46"w x 8.85"d x 4.92"h
342mm x 225mm x 125mm



COPING
15.74"w x 10.23"d x 2.95"h
400mm x 260mm x 75mm



WEDGE
8.07"/5.31"w x 8.85"d x 4.92"h
205/135mm x 225mm x 125mm




WEDGE COPING
8.23"/5.17"w x 10.23"d x 2.95"h
209/131mm x 260mm x 75mm

*TRIPLE SOLD AND PACKAGED TOGETHER IN A 1:1:1 RATIO. CORNER UNIT SOLD SEPARATELY. WEDGE, WEDGE COPING AND CORNER UNITS SOLD AND PACKAGED SEPARATELY.


BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Coverage	27.5 ft ²	2.55 m ²
Lineal Coverage	67.26 ft	20.5 m
Weight	3113 lbs	1412.16 kg
Weight per triple	124.5 lbs	56.5 kg
Coverage per triple	1.1 ft ²	0.1 m ²
Lineal coverage per triple	2.69 ft	0.82 M
Sections	5	
Coverage per section	5.5 ft ²	0.51 m ²
Lineal coverage per section	13.45 ft	4.1 m

COLOURS




BEIGE MIX



GREY



GREY MIX





ULTRA BLACK
(STRAIGHT COPING ONLY)



WINTERBORN

TYPICAL CROSS SECTIONS



NOTES


A double-sided split face wall that can be installed vertically or set-back. Specific medium blocks can be installed on their side, identified with locking feature along with the vertical side of block unit. Triple units are sold and packaged together in a 1:1:1 ratio. Use Arlington or Garden Lock coping for best finish.

IKON

CLASSIC SERIES WALL



BUNDLE OVERVIEW



UNITS



BLOCK UNIT
 39.4"w x 14"d x 6.7"h
 1000mm x 355mm x 170mm
 Units/bundle: 9




COPING
 39.4"w x 14"d x 6.7"h
 1000mm x 355mm x 170mm
 Units/bundle: 9

BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Coverage	16.5 ft ²	1.53 m ²
Lineal Coverage	29.53 ft	9 m
Weight	2745 lbs	1245 kg
Weight per unit	305 lbs	138.3 kg
Coverage per unit	1.83 ft ²	0.17 m ²
Lineal coverage per unit	3.28 ft	1 m

COLOURS




GREY ULTRA BLACK

NOTES

Large format segmental retaining wall with a double-sided smooth finish. Units can be reversed to set-back the wall system. Engineering details and services available for the Ikon wall system.

OFF-SET LOCKING SYSTEM



Vertical
 Alternate the direction of units each row. Off-set locking feature align to create vertical finish.



30mm Off-set
 Install units in the same direction. Off-set locking feature creates a 30mm set back.



30mm Customized Off-set
 Manipulate the direction of units at desired rows. Off-set locking feature allows for customized design and finish.

PARKWALL™

CLASSIC SERIES WALL



UNITS



REGULAR
7.87" w x 5.9" h x 11.61" d
200w x 150h x 295d mm



TAPERED
7.87" w (7" w) x 11.61" d x 5.9" h
200mm (177) x 295mm x 150mm

BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Coverage	20 ft ²	1.85 m ²
Lineal Coverage	40 ft	12 m
Weight	2575 lbs	1167.95 kg
Units	60	
Coverage per unit	0.34 ft ²	0.03 m ²
Lineal coverage per unit	0.67 ft	0.2 m



CORNER
7.87" w x 5.9" h x 11.61" d
200w x 150h x 295d mm


	IMPERIAL	METRIC
Coverage	–	
Lineal Coverage	15.75 ft / 23.23 ft	4.8 m / 7.08 m
Weight	1064 lbs	482.6 kg
Units	24	
Coverage per unit	–	
Lineal coverage per unit	0.66 ft / 0.97 ft	0.2 m / 0.3 m



COPING
23.62" w x 2.95" h x 11.81" d
600w x 75h x 300d mm


	IMPERIAL	METRIC
Lineal Coverage	64 ft	19.2 m
Weight	2144 lbs	972 kg
Units	32	
Lineal coverage per unit	2 ft	0.6 m
Sections	4	
Lineal coverage per section	16 ft	4.8 m

COLOURS



BEIGE MIX GREY GREY MIX ULTRA BLACK (COPING ONLY) WINTERBORN

BUNDLE OVERVIEW



Regular & Tapered Block





Corners




Coping

TYPICAL CROSS SECTIONS



Scan the full Parkwall guide

DESIGN VERSATILITY



Split-Face Vertical

Smooth-Face Accent

In or Out-Set Accent

Smooth-Face In or Out-Set

Combination Accenting

No block manipulation required. Simply turn the block, or set in and out as desired along the patented locking feature.

RIDGEWALL® SRW SYSTEM

LARGE CLASSIC SERIES SEGMENTAL RETAINING WALL SYSTEM

ENGINEERING SERVICES AVAILABLE



UNITS




435 SPLIT FACE

39.4"w x 7.68"h x 17.1"d
1000w x 195h x 435d mm




435 SMOOTH

39.4"w x 7.68"h x 17.1"d
1000w x 195h x 435d mm



870 DOUBLE

39.4"w x 7.68"h x 34.25"d
1000mm x 195mm x 870mm



90° CORNER UNIT

36.9"w x 7.68"h x 17.1"d
937.5w x 195h x 435d mm



45° CORNER UNIT

39.4"w x 7.68"h x 17.1"d
1000w x 195h x 435d mm



500 COPING UNIT

39.4"w x 7.68"h x 19.7"d
1000w x 195h x 500d mm

BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Coverage	12.61 ft ²	1.2 m ²
Lineal Coverage	19.68 ft	6 m
Weight	2370 lbs	1075.2 kg
Units	6	
Coverage per unit	2.1 ft ²	0.2 m ²
Lineal coverage per unit	3.28 ft	1 m

	IMPERIAL	METRIC
Coverage	6.30 ft ²	0.600 m ²
Lineal Coverage	9.85 ft	3 m
Weight	2370 lbs	1075.2 kg
Units	3	
Coverage per unit	2.10 ft ²	0.4 m ²
Lineal coverage per unit	3.28 ft	1 m

	IMPERIAL	METRIC
Coverage	17.22 ft ²	1.62 m ²
Lineal Coverage	26.97 ft	8.24 m
Weight	2340 lbs	1061.4 kg
Units	6	
Coverage per unit	2.87 ft ²	0.27 m ²
Lineal coverage per unit	4.49 ft	1.37 m

	IMPERIAL	METRIC
Coverage	13.5 ft ²	1.26 m ²
Lineal Coverage	21.45 ft	6.56 m
Weight	2226 lbs	1009.8 kg
Units	6	
Coverage per unit	2.25 ft ²	0.21 m ²
Lineal coverage per unit	3.57 ft	1.09 m


	IMPERIAL	METRIC
Coverage	12.61 ft ²	1.2 m ²
Lineal Coverage	19.68 ft	6 m
Weight	2982 lbs	1352.4 kg
Units	6	
Coverage per unit	2.1 ft ²	0.2 m ²
Lineal coverage per unit	3.28 ft	1 m




435/500 BUNDLE OVERVIEW



RIDGE & KEY SYSTEM



TYPICAL CROSS SECTION



COLOURS



SMOOTH GREY (BLOCK) GREY (BLOCK & COPING) GREY MIX (COPING ONLY)

GEOGRID REINFORCED RIDGEWALL
CROSS SECTION WITH LEVEL BACKFILL
AND NO SURCHARGE

ENGINEERING DESIGN SERVICES AVAILABLE. SPEAK TO YOUR BWS SALES REPRESENTATIVE FOR MORE INFORMATION.





PAVERS

CLASSIC SERIES

- | | | |
|----|-----------|------------|
| 24 | Ashford | 60 mm |
| 25 | Standard™ | 60 & 80 mm |


SIGNATURE SERIES

- | | | |
|----|--------------|--------|
| 26 | Adelaide® 80 | 80 mm |
| 27 | EcoFlow | 80 mm |
| 28 | Prisma | 60 mm |
| 29 | Vanguard | 100 mm |


ASHFORD




CLASSIC SERIES PAVER | 60 mm




BUNDLE OVERVIEW




UNITS



13" x 8.66" x 2.36"
330mm x 220mm x 60mm
Units/bundle: 54
Units/layer: 6



8.66" x 8.66" x 2.36"
220mm x 220mm x 60mm
Units/bundle: 72
Units/layer: 8



8.66" x 4.33" x 2.36"
220mm x 110mm x 60mm
Units/bundle: 54
Units/layer: 6


BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Coverage	93.75 ft ²	8.71 m ²
Weight	2628 lbs	1192 kg
Layers	9	
Coverage per layer	10.42 ft ²	0.97 m ²
Lineal coverage	130 ft	39.6 m
Lineal coverage per layer	14.44 ft	4.4 m

NOTES

For pedestrian and/or vehicular use. Provides a classic smooth surface with subtle edges. Install in a 3:4:3 ratio. Can border/accent with Napa, Balsam and other 60mm options for consistent grades.

COLOURS





COLORADO
GREY

GREY
MIX

SUMMER
MIST

PATTERNS



8.66" Soldier Course




13" Soldier Course

STANDARD

CLASSIC SERIES PAVER | 60 & 80 mm



BUNDLE OVERVIEW



UNITS



60 mm
 3.93" x 7.87" x 2.36"
 100mm x 200mm x 60mm
 Units/bundle: 486
 Units/layer: 54




80 mm
 3.93" x 7.87" x 3.15"
 100mm x 200mm x 80mm
 Units/bundle: 432
 Units/layer: 54

8 x 8 size available in select colours.

BUNDLE SPECIFICATIONS

	60 mm		80 mm	
	IMPERIAL	METRIC	IMPERIAL	METRIC
Coverage	106 ft ²	9.85 m ²	94.2 ft ²	8.72 m ²
Weight	2862 lbs	1298.18 kg	3304 lbs	1499 kg
Rows	9		8	
Coverage per row*	11.78 ft ²	1.09 m ²	11.78 ft ²	1.09 m ²
Lineal coverage	156.2 ft / 312.8 ft	47.7 m / 95.4 m	138.8 ft / 278 ft	42.4 m / 84.8 m
Lineal coverage per row*	17.35 ft / 34.75 ft	5.3 m / 10.6 m	17.35 ft / 34.75 ft	5.3 m / 10.6 m
Coverage per unit*	0.22 ft ²	0.02 m ²	0.22 ft ²	0.02 m ²
Units per ft ² /m ²	4.59	49.34	4.59	49.34

COLOURS



BUFF MIX* BUFF-BROWN MIX* GREY MIX





RED MIX* SALMON MIX*



GREY CHARCOAL RED*

PATTERNS



*Special Order for some colours in 80mm
 Sold in full bundles only.


ADELAIDE® 80




SIGNATURE SERIES PAVER | 80 mm



BUNDLE OVERVIEW



UNIT



6.5" x 13" x 3.15"
 165mm x 330mm x 80mm
 Units/bundle: 168
 Units/layer: 21



NOTES

For pedestrian and/or vehicular usage. Can be used on its own or as a modern accent and/or border for the Trevista® 80 pavers. The smooth surface provides a contemporary finish.


BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Coverage	98.4 ft ²	9.1 m ²
Weight	3622 lbs	1643 kg
Layers	8	
Coverage per layer	12.3 ft ²	1.14 m ²
Lineal coverage	91 ft / 182 ft	27.7 m / 55.4 m
Lineal coverage per layer	11.38 ft / 22.75 ft	3.47 m / 6.93 m

PATTERNS



COLOURS




GLACIER CREEK

GREY

ULTRA BLACK



BUNDLE OVERVIEW



UNIT



4.92" in x 9.84" in x 3.14"
 125mm x 250mm x 80mm
 Units/bundle: 256
 Units/layer: 32

NOTES


EcoFlow delivers a clean, modern and sophisticated aesthetic. Manufactured using DesignLoc technology, the two-step manufacturing process creates a refined top layer while reinforcing a strong, durable base. EcoFlow is designed to have strategic spacer bars that create greater infiltration between units, enabling efficient water drainage.

BUNDLE SPECIFICATIONS


	IMPERIAL	METRIC
Coverage	86.08 ft ²	8.0 m ²
Weight	2900.9 lbs	1315.8 kg
Layers	8	
Coverage per layer	10.76 ft ²	1.0 m ²
Lineal coverage	104.96 ft / 209.92ft	32m / 64m
Lineal coverage per layer	13.12 ft / 26.24 ft	4.0 m / 8.0 m

Joint width: 7mm (9/32")
 % Surface Opening: 8.4%

PATTERN



COLOURS



COLORADO GREY GREY GREY MIX

ADDITIONAL COLOURS AVAILABLE.
 SPEAK TO YOUR BWS TERRITORY
 MANAGER FOR MORE INFORMATION.




PRISMA


SIGNATURE SERIES PAVER | 60 mm



BUNDLE OVERVIEW



UNIT



7.76" x 8.96" x 2.36"
 197mm x 227.5mm x 60mm
 Units/bundle: 162
 Units/layer: 18


NOTES

The Prisma Paver blends timeless aesthetics with a modern twist, ideal for cutting-edge hardscape designs. Its unique hexagonal form brings a distinctive geometric flair to landscaping, seamlessly integrating with various contemporary outdoor areas. Elevating projects, the Prisma introduces chic style and dimension.


BUNDLE SPECIFICATIONS

	IMPERIAL	METRIC
Coverage	58.87 ft ²	5.44 m ²
Weight	1620 lbs	735 kg
Layers	9	
Coverage per layer	6.51 ft ²	0.84 m ²

PATTERN



COLOURS



CARRARA

ULTRA
BLACK


VANGUARD




SIGNATURE SERIES COMMERCIAL PAVER | 100 mm



BUNDLE OVERVIEW



4" x 12"



8" x 24"

UNITS




4" x 12" x 3.94"
100mm x 300mm x 100mm
Units per bundle: 216



8" x 24" x 3.94"
200mm x 600mm x 100mm
Units per bundle: 48

EDGE FINISH



Units per bundle: 216

BUNDLE SPECIFICATIONS

	4" X 12"		8" X 24"	
	IMPERIAL	METRIC	IMPERIAL	METRIC
Coverage	72 ft ²	6.48 m ²	64 ft ²	5.76 m ²
Weight	3238.1 lbs	1468.8 kg	2825.4 lbs	1281.6 kg
Rows	6		6	
Coverage per row*	12 ft ²	1.08 m ²	10.67 ft ²	6.96 m ²
Lineal coverage	72 ft / 216 ft	21.6 m / 64.8 m	32.04 ft / 96 ft	9.6 m / 28.8m
Lineal coverage per row*	12 ft / 36 ft	3.6 m / 10.8 m	5.34 ft / 16 ft	1.6 m / 4.8 m


COLOURS

SMOOTH COLOURS



COLORADO GREY GREY MIX ULTRA BLACK

EDGE COLOURS (SPECIAL ORDER ONLY)



PEARL ULTRA BLACK

Vanguard Edge Surface available in 4" x 12" size, special order only.

SRI Values & Specifications

SRI VALUES

COLOUR	SRI	SR%
Brightsand	52	45%*
Buff Brown	21	21%
Carrara	30	27%
Colorado Grey	41	37%*
Eclipse	60	51%*
Glacier Creek	34	31%*

COLOUR	SRI	SR%
Grey	35	29%*
Grey Mix	23	22%
Harbour Grey	33	30%*
Pearl	43	38%*
Red	26	27%
Red Mix	22	21%

COLOUR	SRI	SR%
Salmon Mix	21	20%
Silverlight	34	31%*
Summer Mist	41	36%*
White (Basketweave)	51	44%*
White (SR Paver)	82	67%**

* Meet Leed (29) non-roof

** Meet Leed (80) rooftop

PHYSICAL AND GEOMETRIC CHARACTERISTICS

Precast Concrete Paving Slabs

CHARACTERISTICS	CSA A231.1
Flexural strength	5.0 MPa (725 psi) min.
Freeze-thaw durability with use of deicing salt	Mass loss (max.): 225 g/m ² at 28 cycles Mass loss (max.): 500 g/m ² at 49 cycles
Dimensional tolerance ¹	Length and Width: -1.0mm to +2.0mm Thickness: ±3.0mm
Concave or Convex Warpage (up to and including 450mm)	±2.0mm
Concave or Convex Warpage (over 450mm)	±3.0mm

¹ The dimensional tolerance prior to the application of architectural finishes.

Precast Concrete Pavers

CHARACTERISTICS	CSA A231.1
Compressive strength	50.0 MPa (7252 psi) min.
Freeze-thaw durability with use of deicing salt	Mass loss (max.): 225 g/m ² at 28 cycles Mass loss (max.): 500 g/m ² at 49 cycles
Dimensional tolerance ¹	Length and Width: -1.0mm to +2.0mm Thickness: ±3.0mm

¹ The dimensional tolerance prior to the application of architectural finishes.

Dry-cast Wall Units

CHARACTERISTICS	ASTM C 1372
Compressive strength	20.7 MPa (3000 psi) min.
Durability to freeze thaw cycles Mass loss	after 100 cycles 1% (max.) after 150 cycles 1.5% (max.)
Water absorption	208 kg/m ³ max. (13 lb/ft ³)
Dimension tolerance ¹	length: ±3.0mm (1/8")
	width: ±3.0mm (1/8")
	height: ±3.0mm (1/8")

¹ The dimensional tolerance not applicable to split facings or other architectural finish.

² ASTM C1372 Standard specifications for Dry-Cast, SRW units.


Our Locations

WOODBRIIDGE

8821 Weston Road
Woodbridge, ON
L4L 0K9

1-800-BESTWAY (2378929)

T (905) 851-5122
T (416) 747-0988
F (905) 851-7603



UXBRIDGE

65 Anderson Boulevard
Uxbridge, ON
L9P 0C7

T (905) 640-5845
F (905) 640-9773









1-800-bestway (237-8929)
bestwaystone.com

Woodbridge (Head Office)

8821 Weston Road
Woodbridge, ON L4L 0K9
T 905-851-5122
F 905-851-7603

Uxbridge

65 Anderson Boulevard
Uxbridge, ON L9P 0C7
T 905-640-5845
F 905-640-9773



@bestwaystone



@bestwaystone



facebook/bestwaystone



@bestwaystone



@bestwaystone