

## TECHNICAL DATA SHEET

**Product Name:** Adelaide 50  
**Product Type:** Signature Series

<u>Product Specifications</u>	Length x Width x Height	Length x Width x Height	Length x Width x Height
<b>Dimensions Metric (mm):</b>	165 x 330 x 50		
<b>Dimensions Imperial (inches):</b>	6.5 x 13 x 2		
<b>Individual Weight Kg:</b>	6.38		
<b>Individual Weight lbs:</b>	14.06		
<b>Pieces per Bundle</b>	252		
<b>Units per Layer</b>	21		
<b>Bundle Weight Kg</b>	1606.5		
<b>Bundle Weight Lbs</b>	3542		
<b>Product Texture:</b>	Smooth		

**Product Uses:**

Residential	Commerical			Other			
		Pedestrian only	Pedestrian & Vehicular	Vehicular Traffic	Accessibility	Slab on Pedestal Set	Permeable
Pedestrian <input checked="" type="checkbox"/>	Vehicular	<input checked="" type="checkbox"/>					

**Physical Parameters**

**Dimensional tolerances:**

Length: -1.0 to 2.0mm  
 Width: -1.0 to 2.0mm  
 Height: +/- 3.00mm

**Flexural Strength:** 5.0 MPa (min)

**Freeze thaw:** A maximum of 225g/m<sup>2</sup> loss of mass after 28 cycles of freezing and thawing or  
 A maximum of 500g/m<sup>2</sup> loss of mass after 49 cycles of freezing and thawing

**Notes:**

1. Meets and exceeds the requirements of the CSA A231.2:19 Precast concrete pavers and patio slabs.
2. All data within this document is for reference purpose only and provided as such. Independent engineering should be used for complete site-specific accuracy in all projects.

***Please contact your Sales Representative for further product information***

## TECHNICAL DATA SHEET

**Product Name:** Adelaide 80  
**Product Type:** Signature Series

<u>Product Specifications</u>	Length x Width x Height	Length x Width x Height	Length x Width x Height
<b>Dimensions Metric (mm):</b>	165 x 330 x 80		
<b>Dimensions Imperial (inches):</b>	6.5 x 13 x 3.15		
<b>Individual Weight Kg:</b>	9.78		
<b>Individual Weight lbs:</b>	21.56		
<b>Pieces per Bundle</b>	168		
<b>Units per Layer</b>	21		
<b>Bundle Weight Kg</b>	1643.00		
<b>Bundle Weight Lbs</b>	3622.00		
<b>Product Texture:</b>	Smooth		

**Product Uses:**

Residential	Commerical			Other			
Pedestrian	Vehicular	Pedestrian only	Pedestrian & Vehicular	Vehicular Traffic	Accessibility	Slab on Pedestal Set	Permeable
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>				

**Physical Parameters**

**Dimensional tolerances:**

Length: -1.0 to +2.0mm  
 Width: -1.0 to +2.0mm  
 Height: -3.0 to +3.0mm

**Compressive Strength:** 50 MPa (min)

**Freeze thaw:** A maximum of 225g/m<sup>2</sup> loss of mass after 28 cycles of freezing and thawing or  
 A maximum of 500g/m<sup>2</sup> loss of mass after 49 cycles of freezing and thawing

**Notes:**

1. Meets and exceeds the requirements of the CSA A231.2:19 Precast concrete pavers and patio slabs.
2. All data within this document is for reference purpose only and provided as such. Independent engineering should be used for complete site-specific accuracy in all projects.

***Please contact your Sales Representative for further product information***