

TECHNICAL DATA SHEET

Product Name: Garden Lock Wall
Product Type: Classic Series

<u>Product Specifications</u>	Width x Height x Depth	Width x Height x Depth	Width x Height x Depth
Dimensions Metric (mm):	380 x 125 x 225	250 x 125 x 225	190 x 125 x 225
Dimensions Imperial (inches):	14.96 x 4.92 x 8.85	9.84 x 4.92 x 8.85	7.48 x 4.92 x 8.85
Weight per Triple Kg	56.50		
Weight per Triple lbs	124.50		
Pieces per Bundle	25	25	25
Units per Layer			
Bundle Weight Kg	1412.16		
Bundle Weight Lbs	3113.00		
Product Texture:			

Product Uses:

Residential	Commerical
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Physical Parameters

Dimensional tolerances:

Length: +/- 3.0mm
 Width: +/- 3.0mm
 Height: +/- 3.0mm

Compressive Strength: 20.7 MPa (min)

Water Absorption: 208 kg/m³
 (13 lb/ft³)

Freeze thaw: after 100 cycles 1% (max)
 after 150 cycles 1.5% (max)

Notes:

1. Meets the requirments for ASTM C1372 - Standard Specifications for Segmental Retaining Wall Units
2. All data within this document is for reference purpose only and provided as such. Independent engineering should be used for complete site-specific accuracy in all projects.

Please contact your Sales Representative for further product information

TECHNICAL DATA SHEET

Product Name: Garden Lock Coping
Product Type: Classic Series

<u>Product Specifications</u>	Width x Height x Depth	Width x Height x Depth	Width x Height x Depth
Dimensions Metric (mm):	400 x 75 x 260		
Dimensions Imperial (inches):	15.74 x 2.95 x 10.23		
Individual Weight Kg:	17.42		
Individual Weight lbs:	38.41		
Pieces per Bundle	64		
Units per Layer			
Bundle Weight Kg	1114.75		
Bundle Weight Lbs	2458.00		
Product Texture:			

Product Uses:

Residential	Commerical
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Physical Parameters

Dimensional tolerances:

Length: +/- 3.0mm
 Width: +/- 3.0mm
 Height: +/- 3.0mm

Compressive Strength: 20.7 MPa (min)

Water Absorption: 208 kg/m³
 (13 lb/ft³)

Freeze thaw: after 100 cycles 1% (max)
 after 150 cycles 1.5% (max)

Notes:

1. Meets the requirments for ASTM C1372 - Standard Specifications for Segmental Retaining Wall Units
2. All data within this document is for reference purpose only and provided as such. Independent engineering should be used for complete site-specific accuracy in all projects.

Please contact your Sales Representative for further product information

TECHNICAL DATA SHEET

Product Name: Garden Lock Corner
Product Type: Classic Series

<u>Product Specifications</u>	Width x Height x Depth	Width x Height x Depth	Width x Height x Depth
Dimensions Metric (mm):	342 x 125 x 225		
Dimensions Imperial (inches):	13.46 x 4.92 x 8.85		
Individual Weight Kg:	20.25		
Individual Weight lbs:	44.65		
Pieces per Bundle	40		
Units per Layer			
Bundle Weight Kg	810		
Bundle Weight Lbs	1786.00		
Product Texture:			

Product Uses:

Residential	Commerical
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Physical Parameters

Dimensional tolerances:

Length: +/- 3.0mm
 Width: +/- 3.0mm
 Height: +/- 3.0mm

Compressive Strength: 20.7 MPa (min)

Water Absorption: 208 kg/m³
 (13 lb/ft³)

Freeze thaw: after 100 cycles 1% (max)
 after 150 cycles 1.5% (max)

Notes:

1. Meets the requirments for ASTM C1372 - Standard Specifications for Segmental Retaining Wall Units
2. All data within this document is for reference purpose only and provided as such. Independent engineering should be used for complete site-specific accuracy in all projects.

Please contact your Sales Representative for further product information

TECHNICAL DATA SHEET

Product Name: Garden Lock Wedge
Product Type: Classic Series

<u>Product Specifications</u>	Width x Height x Depth	Width x Height x Depth	Width x Height x Depth
Dimensions Metric (mm):	205(135) x 125 x 225		
Dimensions Imperial (inches):	8.07(5.31) x 4.92 x 8.85		
Individual Weight Kg:	10.93		
Individual Weight lbs:	24.10		
Pieces per Bundle	125		
Units per Layer			
Bundle Weight Kg	1366.45		
Bundle Weight Lbs	3013.00		
Product Texture:			

Product Uses:

Residential	Commerical
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Physical Parameters

Dimensional tolerances:

Length: +/- 3.0mm
 Width: +/- 3.0mm
 Height: +/- 3.0mm

Compressive Strength: 20.7 MPa (min)

Water Absorption: 208 kg/m³
 (13 lb/ft³)

Freeze thaw: after 100 cycles 1% (max)
 after 150 cycles 1.5% (max)

Notes:

1. Meets the requirments for ASTM C1372 - Standard Specifications for Segmental Retaining Wall Units
2. All data within this document is for reference purpose only and provided as such. Independent engineering should be used for complete site-specific accuracy in all projects.

Please contact your Sales Representative for further product information

TECHNICAL DATA SHEET

Product Name: Garden Lock Wedge Coping
Product Type: Classic Series

<u>Product Specifications</u>	Width x Height x Depth	Width x Height x Depth	Width x Height x Depth
Dimensions Metric (mm):	209(131) x 75 x 260		
Dimensions Imperial (inches):	8.23(5.17) x 2.95 x 10.23		
Individual Weight Kg:	7.47		
Individual Weight lbs:	16.47		
Pieces per Bundle	160		
Units per Layer			
Bundle Weight Kg	1195.31		
Bundle Weight Lbs	2635.00		
Product Texture:			

Product Uses:

Residential	Commerical
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

Physical Parameters

Dimensional tolerances:

Length: +/- 3.0mm
 Width: +/- 3.0mm
 Height: +/- 3.0mm

Compressive Strength: 20.7 MPa (min)

Water Absorption: 208 kg/m³
 (13 lb/ft³)

Freeze thaw: after 100 cycles 1% (max)
 after 150 cycles 1.5% (max)

Notes:

1. Meets the requirments for ASTM C1372 - Standard Specifications for Segmental Retaining Wall Units
2. All data within this document is for reference purpose only and provided as such. Independent engineering should be used for complete site-specific accuracy in all projects.

Please contact your Sales Representative for further product information